

References and Bibliography

A

- Adcroft, A., J.-M. Campin, C. Hill, and J. Marshall, 2004: Implementation of an atmosphere-ocean general circulation model on the expanded spherical cube. *Mon. Wea. Rev.*, **132**, 2845-2863.
- Arakawa, A., 1966: Computational design for long-term numerical integration of the equations of fluid motion. Two-dimensional incompressible flow. Part I. *J. Comp. Phys.*, **1**, 119-143
- Arakawa, A., 1968: Numerical simulation of large-scale atmospheric motions. *Proceedings of a Symposium in Applied Mathematics*, Durham, N.C., 1968. 24-40.
- Arakawa, A., 1988: Finite-difference methods in climate modeling. *Physically-Based Modelling and Simulation of Climate and Climatic Change - Part I*, M. E. Schlesinger (ed.), Kluwer Academic Press, 79-168.
- Arakawa, A. and Y.-J. Hsu, 1990: Energy conserving and potential-entrophy dissipating schemes for the shallow water equations. *Mon. Wea. Rev.*, **118**, 1960-1969.
- Arakawa A., and S. Moorthi, 1988: Baroclinic instability in vertically discrete systems. *J. Atmos. Sci.*, **45**, 1688-1707.
- Arakawa, A., and V. R. Lamb, 1977: Computational design of the basic dynamical processes of the UCLA general circulation model. *Methods in Computational Physics*, **17**, Academic Press, New York, pp. 173-265.
- Arakawa, A., and V. R. Lamb, 1981: A potential entrophy and energy conserving scheme for the shallow water equations. *Mon. Wea. Rev.*, **109**, 18-36.
- Arfken, G., 1985: *Mathematical methods for physicists*. Academic Press, San Diego, 985 pp.
- Arpé, K., and E. Klinker, 1986: Systematic errors of the ECMWF operational forecasting model in mid-latitudes. *Quart. J. Roy. Meteor. Soc.*, **112**, 181-202.
- Asselin, R., 1972: Frequency filter for time integrations. *Mon. Wea. Rev.*, **100**, 487-490.
- Augenbaum, J. M., and C. S. Peskin, 1985: On the construction of the Voronoi mesh on a sphere. *J. Comput. Phys.*, **14**, 177-192.

B

- Baer, F., and T. J. Simons, 1970: Computational stability and time truncation of coupled nonlinear equations with exact solutions. *Mon. Wea. Rev.*, **98**, 665-679.
- Baer, F., 1972: An alternate scale representation of atmospheric energy spectra. *J. Atmos. Sci.*, **29**, 649-664.
- Bates, J. R., S. Moorthi, and R. W. Higgins, 1993: A global multilevel atmospheric model using a vector semi-Lagrangian finite-difference scheme. Part I: Adiabatic formulation. *Mon. Wea. Rev.*, **121**, 244-263.
- Baumgardner, J. R., and P. O. Frederickson, 1985: Icosahedral discretization of the two-sphere. *SIAM J. Numer. Anal.*, **22**, 1107-1115.
- Bleck, R., 1973: Numerical forecasting experiments based on the conservations of potential vorticity on isentropic surfaces. *J. Appl. Meteor.*, **12**, 737-752.
- Bleck, R., and D. B. Boudra, 1981: Initial testing of a numerical ocean circulation model using a hybrid (quasi-isopycnic) vertical coordinate. *J. Phys. Oceanogr.*, **11**, 755-770.
- Bleck, R., 1984: Vertical coordinate transformation of vertically discretized atmospheric fields. *Mon. Wea. Rev.*, **112**, 2535-2539.
- Bleck, R., H. P. Hanson, D. Hu, and E. B. Kraus, 1989: Mixed layer-thermocline interaction in a three-dimensional isopycnic coordinate model. *J. Phys. Oceanogr.*, **19**, 1417-1439.
- Bleck, R., and S. G. Benjamin, 1993: Regional weather prediction with a model combining terrain-following and isentropic coordinates. Part I: Model description. *Mon. Wea. Rev.*, **121**, 1770-1785.
- Bonaventura, L., 2004: Development of the ICON dynamical core: modelling strategies and preliminary results. *Proceedings of the ECMWF-SPARC Workshop on Modelling and Assimilation for the Stratosphere and Tropopause*, ECMWF, Reading, UK.
- Bonaventura, L. and T. D. Ringler, 2005: Analysis of discrete shallow-water models on geodesic Delaunay grids with C-type staggering. under revision. *Mon. Wea. Rev.*, **133**, 2351-2373.
- Boris, J. P., and D. L. Book, 1973: Flux-corrected transport I: SHASTA -- a fluid transport algorithm that works. *J. Comp. Phys.*, **11**, 38-69.
- Browning, G., J. Hack, and P. Swarztrauber, 1989: A Comparison of Three Numerical Methods for Solving Differential Equations on the Sphere. *Mon. Wea. Rev.*, **117**, 1058-1075.

C-D

- Cui, J., and W. Freeden, 1997: Equidistribution on the sphere. *SIAM J. Sci. Comp.*, **18**, 595-609.

Cullen, M. J. P., 1974: Integrations of the primitive equations on a sphere using the finite element method. *Quart. J. R. Met. Soc.*, **100**, 555-562.

Du, Q., V. Faber, and M. Gunzburger, 1999: Centroidal Voronoi tessellations: Application and algorithms. *SIAM Rev.*, 41, 637-676.

Du, Q., M. D. Gunzburger, and L. Ju, 2003a: Constrained centroidal Voronoi tessellations for surfaces. *SIAM J. Sci. Comput.*, 24, 1488-1506.

Du, Q., M. D. Gunzburger, and L. Ju., 2003b: Voronoi-based finite volume methods, optimal Voronoi meshes, and PDEs on the sphere. *Comput. Methods Appl. Mech. Eng.*, 192, 3933-3957.

Durran, D. R., 1991: The third-order Adams-Bashforth method: An attractive alternative to leap-frog time differencing. *Mon. Wea. Rev.*, **119**, 702-720.

E

Eliassen, A., B. Machenhauer, and E. Rasmussen, 1970: On a numerical method for integration of the hydrodynamical equations with a spectral representation of the horizontal fields. *Rept. No. 2*, Institute for Theoretical Meteorology, Copenhagen University, Copenhagen, 35 pp.

Eliassen, A., and E. Raustein, 1968: A numerical integration experiment with a model atmosphere based on isentropic coordinates. *Meteorologische Annaler*, **5**, 45-63.

Eliassen, A., and E. Raustein, 1970: A numerical integration experiment with a six-level atmospheric model with isentropic information surface. *Meteorologische Annaler*, **5**, 429-449.

F

Fulton, S. R., P. E. Ciesielski, and W. H. Schubert, 1986: Multigrid methods for elliptic problems: A review. *Mon. Wea. Rev.*, **114**, 943-959.

G

Gerald, C. F., 1970: *Applied Numerical Analysis*, Addison-Wesley, 340 pp.

Giraldo, F.X., 1997: Lagrange-Galerkin Methods on Spherical Geodesic Grids. *J. Comput. Phys.*, **136**, 197-213.

- Giraldo, F.X., 1999: Trajectory Calculations for Spherical Geodesic Grids in Cartesian Space. *Mon. Wea. Rev.*, **127**, 1651-1662.
- Giraldo, F. X., 2000: Lagrange-Galerkin methods on spherical geodesic grids: The shallow water equations. *J. Comput. Phys.*, **160**, 336-368.
- Giraldo, F.X., 2001: A Spectral Element Shallow Water Model on Spherical Geodesic Grids. *Int. J. Numerical Meth. Fluids*, **35**, 869-901.
- Giraldo, F. X., and T. E. Rosmond, 2004: A Scalable Spectral Element Eulerian Atmospheric Model (SEE-AM) for NWP: Dynamical Core Tests. *Mon. Wea. Rev.*, **132**, 133-153.
- Giraldo, F. X., and T. Warburton, 2005: A Nodal Triangle-based Spectral Element Method for the Shallow Water Equations on the Sphere. *J. Comput. Phys.*, **207**, 129-150.
- Giraldo, F. X., 2006: High-Order Triangle-based Discontinuous Galerkin Methods for Hyperbolic Equations on a Rotating Sphere. *J. Comput. Phys.*, **214**, 447-465.
- Giraldo, F. X., M. Lauter, D. Handorf, and K. Dethloff, 2008: A Discontinuous Galerkin Method for the Shallow Water Equations using Spherical Triangular Coordinates. *J. Comput. Phys.*, **227**, 10226-10243.
- Giraldo, F. X., and T. Warburton, 2008: A High-Order Triangular Discontinuous Galerkin Oceanic Shallow Water Model. *Int. J. Numerical Meth. Fluids*, **56**, 899-925.
- Giraldo, F. X., and M. Restelli, 2009: High-Order Semi-Implicit Time-Integrators for a Triangular Discontinuous Galerkin Oceanic Shallow Water Model. *Int. J. Numerical Meth. Fluids*, DOI: 10.1002/fld.2118.
- Green, J. S. A., 1970: Transfer properties of the large-scale eddies and the general circulation of the atmosphere. *Quart. J. Roy. Meteor. Soc.*, **96**, 157-185.
- Gregory, M. J., A. J. Kimerling, D. White, and K. Sahr, 2008: A comparison of intercell metrics on discrete global grid systems. *Computers, Environment, and Urban Systems*, **32**, 188-203.

H

- Haertel, P. T., and D. A. Randall, 2002: Could a pile of slippery sacks behave like an ocean? *Mon. Wea. Rev.*, **130**, 2975-2988.
- Haltiner, G. J., Williams, R. T., 1984: *Numerical Prediction and Dynamic Meteorology*. Wiley.
- Hansen, J., G. Russell, D. Rind, P. Stone, A. Lacis, S. Lebedeff, R. Ruedy, and L. Travis, 1983: Efficient three-dimensional global models for climate studies: Models I and II. *Mon. Wea. Rev.*, **111**, 609-662.

- Heckley, W. A., 1985: Systematic errors of the ECMWF operational forecasting model in tropical regions. *Quart. J. Roy. Meteor. Soc.*, **111**, 709-738.
- Heikes, R. P., and D. A. Randall, 1995: Numerical integration of the shallow water equations on a twisted icosahedral grid. Part I: Basic design and results of tests. *Mon. Wea. Rev.*, **123**, 1862-1880.
- Heikes, R. P., and D. A. Randall, 1995: Numerical integration of the shallow water equations on a twisted icosahedral grid. Part II: Grid refinement, accuracy and computational performance. *Mon. Wea. Rev.*, **123**, 1881-1887.
- Holzer, M., 1996: Optimal spectral topography and its effect on model climate. *J. Climate*, **9**, 2443-2463.
- Hoskins, B. J., M. E. McIntyre, and A. W. Robertson, 1985: On the use and significance of isentropic potential vorticity maps. *Quart. J. Roy. Meteor. Soc.*, **111**, 877-946.
- Hsu, Y.-J., and A. Arakawa, 1990: Numerical modeling of the atmosphere with an isentropic vertical coordinate. *Mon. Wea. Rev.*, **118**, 1933-1959.

J

- Janjic, Z. I., and F. Mesinger, 1989: Response to small-scale forcing on two staggered grids used in finite-difference models of the atmosphere. *Quart. J. Roy. Meteor. Soc.*, **115**, 1167-1176
- Janjic, Z. I., 1990: The step-mountain coordinate: Physical package. *Mon. Wea. Rev.*, **118**, 1429-1443.
- Jarraud, M., and A. J. Simmons, 1983: The spectral technique. *Seminar on Numerical Methods for Weather Prediction*, European Centre for Medium Range Weather Prediction, Reading, England, 99. 1-59.
- Johnson, D. R., and L. W. Uccellini, 1983: A comparison of methods for computing the sigma-coordinate pressure gradient force for flow over sloped terrain in a hybrid theta-sigma model. *Mon. Wea. Rev.*, **111**, 870-886.

K

- Kageyama, A., and T. Sato, 2004: "Yin-Yang grid" An overset grid in spherical geometry. *Geochem. Geophys. Geosyst.*, **5**, Q09005, doi:10.1029/2004GC000734.
- Kageyama, A., 2005: Dissection of a sphere and Yin-Yang grids. *J. Earth Simulator*, **3**, 20-28.

- Kalnay-Rivas, E., A. Bayliss, and J. Storch, 1977: The 4th order GISS model of the global atmosphere. *Contrib. Atmos. Phys.*, **50**, 306-311.
- Kalnay, E. and M. Kanamitsu, 1988: Time schemes for strongly nonlinear damping equations. *Mon. Wea. Rev.*, **116**, 1945-1958.
- Kasahara, A., 1974: Various vertical coordinate systems used for numerical weather prediction. *Mon. Wea. Rev.*, **102**, 509-522.
- Kasahara, A., and W. M. Washington, 1967: NCAR global general circulation model of the atmosphere. *Mon. Wea. Rev.*, **95**, 7, 389-402.
- Konor, C. S., and A. Arakawa, 1997: Design of an atmospheric model based on a generalized vertical coordinate. *Mon. Wea. Rev.*, **125**, 1649-1673.
- Krueger, S. K., 1988: Numerical simulation of tropical cumulus clouds and their interaction with the subcloud layer. *J. Atmos. Sci.*, **45**, 2221-2250.
- Kurihara, Y., 1965: Numerical Integration of the Primitive Equations on a Spherical Grid. *Mon. Wea. Rev.*, **93**, 399-415.

L

- Laprise, R., 1992: The resolution of global spectral models. *Bull. Amer. Meteor. Soc.*, **73**, 1453-1454.
- Lauritzen, P. H., and R. D. Nair, 2008: Monotone and Conservative Cascade Remapping between Spherical Grids (CaRS): Regular Latitude–Longitude and Cubed-Sphere Grids. *Mon. Wea. Rev.*, **136**, 1416–1432.
- Lax, P. D. and B. Wendroff, 1960: Systems of conservation laws. *Communications on pure and applied mathematics*, **XIII**, 217-237.
- Li, X., D. Chen, X. Peng, K. Takahashi, and F. Xiao, 2008: A Multimoment Finite-Volume Shallow-Water Model on the Yin–Yang Overset Spherical Grid. *Mon. Wea. Rev.*, **136**, 3066–3086.
- Lilly, D. K., 1965: On the computational stability of numerical solutions of time-dependent non-linear geophysical fluid dynamics problems. *Mon. Wea. Rev.*, **93**, 11-26.
- Lindberg, C., and A. Broccoli, 1996: Representation of topography in spectral climate models and its effect on simulated precipitation. *J. Climate*, **9**, 2641-2659.
- Lindzen, R. S., and H.-L. Kuo, 1969: A reliable method for the numerical integration of a large class of ordinary and partial differential equations. *Mon. Wea. Rev.*, **97**, 732-734.

- Lipscomb, W. and T. D. Ringler, 2005: An incremental remapping transport scheme on a spherical geodesic grid. *Mon. Wea. Rev.*, **133**, 2335-2350.
- Lorenz, E. N., 1955: Available potential energy and the maintenance of the general circulation. *Tellus*, **7**, 157-167.
- Lorenz, E. N., 1960: Energy and numerical weather prediction. *Tellus*, **12**, 364-373.
- Lorenz, E. N., 1969: Three approaches to atmospheric predictability. *Bull. Amer. Meteor. Soc.*, **50**, 345-349.
- Lorenz, E. N., 1982: Atmospheric predictability experiments with a large numerical model. *Tellus*, **34**, 505-513.

M

- McGregor, J. L., 1996: Semi-Lagrangian advection on conformal-cubic grids. *Mon. Wea. Rev.*, **124**, 1311-1322.
- McGregor J. L., 1997: Semi-Lagrangian advection on a cubic gnomonic projection of the sphere. In: *Numerical methods in atmospheric and oceanic modelling* (Lin C, Laprise R, Ritchie H, eds). Canadian Meteorological and Oceanic Soc./NRC Research Press, pp 153-169
- Majewski, D., D. Liermann, P. Prohl, B. Ritter, M. Buchhold, T. Hanisch, G. Paul, W. Wergen, and J. Baumgardner, 2002: The Operational Global Icosahedral-Hexagonal Gridpoint Model GME: Description and High-Resolution Tests. *Mon. Wea. Rev.*, **130**, 319-338.
- Marshall, J., A. Adcroft, J.-M. Campin, and C. Hill, 2004: Atmosphere-ocean modeling exploiting fluid isomorphisms. *Mon. Wea. Rev.*, **132**, 2882-2894.
- Masuda, Y., and H. Ohnishi, 1986: An Integration Scheme of the Primitive Equations Model with an Icosahedral-Hexagonal Grid System and its Application to the Shallow Water Equations. *Short- and Medium-Range Numerical Weather Prediction*. Japan Meteorological Society, Tokyo, 317-326.
- Masuda, Y., and H. Ohnishi, 1986: An Integration Scheme of the Primitive Equations Model with an Icosahedral-Hexagonal Grid System and its Application to the Shallow Water Equations. *Short- and Medium-Range Numerical Weather Prediction*. Japan Meteorological Society, Tokyo, 317-326.
- Matsuno, T., 1966: Numerical integrations of the primitive equations by a simulated backward difference method. *J. Meteor. Soc. Japan*, Ser. 2, **44**, 76-84.
- Matsuno, T., 1966: False reflection of waves at the boundary due to the use of finite differences. *J. Meteor. Soc. Japan*, Ser. 2, **44**, 145-157.

- Mellor, G. L., and T. Yamada, 1974: A hierarchy of turbulence closure models for the planetary boundary layer. *J. Atmos. Sci.*, **31**, 1791-1806.
- Mesinger, F., 1971: Numerical integration of the primitive equations with a floating set of computation points: Experiments with a barotropic global model. *Mon. Wea. Rev.*, **99**, 15-29.
- Mesinger, F., and Z. I. Janjic, 1985: Problems and numerical methods of the incorporation of mountains in atmospheric models. Large-Scale Computations in Fluid Mechanics. Part 2. *Lec. Appl. Math.*, **22**, Amer. Math. Soc., 81-120.
- Miura, H., and M. Kimoto, 2005: A comparison of grid quality of optimized spherical hexagonal-pentagonal geodesic grids. *Mon. Wea. Rev.*, **133**, 2817-2833.
- Miura, H., H. Tomita, T. Nasuno, S.-I. Iga, M. Satoh, and T. Matsuno, 2005: A climate sensitivity test using a global cloud resolving model under an aquaplanet condition. *Geophys. Res. Lett.*, **32**, L19717, doi:10.1029/2005GL023672.
- Miura H., M. Satoh, T. Nasuno, A. T. Noda, and K. Oouchi, 2007 a: A Madden-Julian oscillation event simulated using a global cloud-resolving model. *Science*, **318**, 1763-1765.
- Miura H., H. Tomita, M. Satoh, A. T. Noda, T. Nasuno, and S. Iga, 2007 b: A short-duration global cloud-resolving simulation under a realistic land and sea distribution. *Geophys. Res. Lett.*, **34**, L02804, doi:10.1029/2006GL027448.
- Moeng, C.-H., 1984: A large-eddy simulation model for the study of planetary boundary-layer turbulence. *J. Atmos. Sci.*, **41**, 2052-2062.
- Moeng, C.-H., and J. C. Wyngaard, 1986: An analysis of closures for pressure-scalar covariances in the convective boundary layer. *J. Atmos. Sci.*, **43**, 2499-2513.
- Monaghan, J. J., 1992: Smoothed particle hydrodynamics. *Ann. Rev. Astron. Astrophys.*, **30**, 543-574.
- Morse, P. M., and H. Feshback, 1953: *Methods of theoretical physics, Part I*. McGraw-Hill, 997 pp.

N

- Nair, R. D., S. J. Thomas, and R. D. Loft, 2005: A Discontinuous Galerkin Transport Scheme on the Cubed Sphere. *Mon. Wea. Rev.*, **133**, 814-828.
- Nair, R. D., and C. Jablonowski, 2008: Moving Vortices on the Sphere: A Test Case for Horizontal Advection Problems. *Mon. Wea. Rev.*, **136**, 699-711.
- Ničković, S., 1994: On the use of hexagonal grids for simulation of atmospheric processes. *Contr. Atmos. Phys.*, **67**, 103-107.

- Ničković, S., M. B. Gavrilov, and I. A. Tošić, 2002: Geostrophic Adjustment on Hexagonal Grids. *Mon. Wea. Rev.*, **130**, 668-683.
- Nitta, T., 1964: On the reflective computational wave caused by the outflow boundary condition. *J. Met. Soc. Japan*, **42**, 274-276.
- Norris, P. M., 1996: Radiatively-driven convection in marine stratocumulus clouds. Ph.D. thesis, University of California, San Diego, 175 pp.
- North, G. R., 1975: Theory of energy balance climate models. *J. Atmos. Sci.*, **32**, 2033 - 2043.

O

- Orszag, S. A., 1970: Transform method for the calculation of vector-coupled sums: Application to the spectral form of the vorticity equation. *J. Atmos. Sci.*, **27**, 890-902.

P

- Phillips, N. A., 1957: A coordinate system having some special advantages for numerical forecasting. *J. Meteor.*, **14**, 184-185.
- Phillips, N. A., 1957: A map projection system suitable for large-scale numerical weather prediction. *J. Meteor. Soc. Japan*, **75**, 262-267.
- Phillips, N. A., 1959: An example of non-linear computational instability. In *The Atmosphere and Sea in Motion*, (Bert Bolin, ed.), Rockefeller Inst. Press, New York, 501-504.
- Phillips, N. A., 1959: Numerical Integration of the Primitive Equations on the Hemisphere. *Mon. Wea. Rev.*, **87**, 333-345.
- Platzman, G. W., 1954: The computational stability of boundary conditions in numerical integration of the vorticity equation. *Arch. Meteor. Geophys. u. Bioklimatol.*, Ser. A, **7**, 29-40.
- Popper, K. R., 1959: *The logic of scientific discovery*. Hutchinson Education, 479 pp.
- Purser, R. J., and M. Rančić, 1997: Conformal octagon: An attractive framework for global models offering quasi-uniform regional enhancement of resolution. *Meteorol. Atmos. Phys.*, **62**, 33-48.
- Purser, R. J., and M. Rančić, 1998: Smooth quasi-homogeneous gridding of the sphere. *Quart J Roy. Meteor. Soc.*, **124**, 637-647.
- Putman, W M., and S.-J. Lin, 2007: Finite-volume transport on various cubed-sphere grids. *Journal of Computational Physics*, **227**, 55-78.

Q - R

- Rancic, M., R. J. Purser, and F. Mesinger, 1996: A global shallow-water model using an expanded spherical cube: Gnomonic versus conformal coordinates. *Quart. J. Roy. Meteorol. Soc.*, **122**, 959-982.
- Randall, D. A., 1994: Geostrophic adjustment and the finite-difference shallow-water equations. *Mon. Wea. Rev.*, **122**, 1371-1377.
- Randall, D. A., T. D. Ringler, R. P. Heikes, P. Jones, and J. Baumgardner, 2002: Climate modeling with spherical geodesic grids. *Computing in Science and Engr.*, **4**, 32-41.
- Richtmeyer, 1963: A survey of difference methods for nonsteady fluid dynamics. *NCAR Technical Note 63-2*, NCAR, Boulder, Colo.
- Ringler, T. D., R. P. Heikes, and D. A. Randall, 2000: Modeling the atmospheric general circulation using a spherical geodesic grid: A new class of dynamical cores. *Mon. Wea. Rev.*, **128**, 2471-2490.
- Robert, A., T. L. Yee, and H. Ritchee, 1985: Semi-Lagrangian and semi-implicit numerical integration scheme for multilevel atmospheric models. *Mon. Wea. Rev.*, **113**, 388-394.
- Ronchi, C., R. Iacono, and P. S. Paolucci, 1996: The “cubed sphere”: A new method for the solution of partial differential equations in spherical geometry. *J. Comp. Phys.*, **124**, 93-114.

S

- Sadourny, R., A. Arakawa, and Y. Mintz, 1968: Integration of the Nondivergent Barotropic Vorticity Equation with an Icosahedral-Hexagonal Grid for the Sphere. *Mon. Wea. Rev.*, **96**, 351-356.
- Sadourny, R., and P. Morel, 1969: A Finite Difference Approximation of the Primitive Equations for a Hexagonal Grid on a Plane. *Mon. Wea. Rev.*, **97**, 439-445.
- Sadourny, R., 1972: Conservative finite-difference approximations of the primitive equations on quasi-uniform spherical grids. *Mon. Wea. Rev.*, **100**, 136-144.
- Saff, E. B., and A. B. J. Kuijlaars, 1997: Distributing many points on a sphere. *Math. Intelligencer*, **19**, 5-11.
- Satoh, M., H. Tomita, H. Miura, S. Iga, and T. Nasuno, 2005: Development of a global cloud-resolving model—A multi-scale structure of tropical convections. *J. Earth Simulator*, **3**, 11-19.

- Satoh M., T. Nasuno, H. Miura, H. Tomita, S. Iga, and Y. Takayabu, 2007: Precipitation statistics comparison between global cloud resolving simulation with NICAM and TRMM PR data. *High Resolution Numerical Modelling of the Atmosphere and Ocean*, K. Hamilton and W. Ohfuchi, Eds., Springer, 99-109.
- Satoh M., T. Matsuno, H. Tomita, H. Miura, T. Nasuno, and S. Iga, 2008: Nonhydrostatic Icosahedral Atmospheric Model (NICAM) for global cloud-resolving simulations. *J. Comput. Phys.*, in press.
- Semtner, A. J., Jr., and R. M. Chervin, 1992: Ocean general circulation from a global eddy-resolving model. *J. Geophys. Res.*, **97C**, 5493-5551.
- Shewchuk, J. R., 1994: An introduction to the conjugate gradient method without the agonizing pain. Available on the web at <http://www.cs.berkeley.edu/~jrs/>.
- Simmons, A. J., and D. M. Burridge, 1981: Energy and angular-momentum conserving vertical finite-difference scheme and hybrid vertical coordinates. *Mon. Wea. Rev.*, **109**, 758-7661.
- Skamarock, W. C., J. B. Klemp, T. D. Ringler, and J. Thuburn, 2008: A Hexagonal C-Grid Atmospheric Core Formulation for Multiscale Simulation on the Sphere. *American Geophysical Union, Fall Meeting 2008*, abstract #A31H-01
- Smagorinski, J., 1963: General circulation experiments with the primitive equations. *Mon. Wea. Rev.*, **91**, 99-164.
- Smolarkiewicz, P. K., 1991: Nonoscillatory advection schemes. In *Proceedings of the Seminar on Numerical Methods in Atmospheric Models*, ECMWF, November 1991.
- Staniforth, A., and J. Cote, 1991: Semi-lagrangian integration schemes for atmospheric models -- A review. *Mon. Wea. Rev.*, **119**, 2206-2223.
- Stuhne, G. R. and W. R. Peltier, 1996: Vortex erosion and amalgamation in a new model of large scale flow on a sphere. *J. Comp. Phys.*, **128**, 58-81.
- Stuhne, G. R. and W. R. Peltier, 1999: New icosahedral grid-point discretizations of the shallow water equations on the sphere. *J. Comp. Phys.*, **144**, 23-58.
- Swinbank, R., and R. J. Purser, 2006: Fibonacci grids: A novel approach to global modelling. *Quart. J. Roy. Meteor. Soc.*, **132**, 1769-17-93.

T

- Takacs, L. L., 1985: A two-step scheme for the advection equation with minimized dissipation and dispersion errors. *Mon. Wea. Rev.*, **113**, 1050-1065.

- Taylor, M., J. Tribbia, and M. Iskandarni, 1997: The spectral element method for the shallow water equations on the sphere. *J. Comput. Phys.*, **130**, 92-108
- Thuburn, J., 1997: A PV-based shallow-water model on a hexagonal-icosahedral grid. *Mon. Wea. Rev.*, **125**, 2328-2347.
- Thuburn, J., 2008: Numerical wave propagation on the hexagonal C-grid. *J. Comput. Phys.*, **227**, 5836-5858.
- Thuburn, J., Ringler, T. D., Skamarock, W. C., and Klemp, J. B., 2009: Numerical representation of geostrophic modes on arbitrarily structured C-grids. *J. Comput. Phys.*, **228**, 8321-8335.
- Tomita, H., M. Tsugawa, M. Satoh, and K. Goto, 2001: Shallow water model on a modified icosahedral geodesic grid by using spring dynamics. *J. Comput. Phys.*, **174**, 579-613.
- Tomita, H., M. Satoh, and K. Goto, 2002: An optimization of the icosahedral grid modified by spring dynamics. *J. Comput. Phys.*, **183**, 307-331
- Tomita, H., and M. Satoh, 2004: A new dynamical framework of nonhydrostatic global model using the icosahedral grid, *Fluid Dyn. Res.*, **34**, 357-400.
- Tomita, H., H. Miura, S. Iga, T. Nasuno, and M. Satoh, 2005: A global cloud-resolving simulation: Preliminary results from an aqua planet experiment, *Geophys. Res. Lett.*, **32**, L08805, doi:10.1029/2005GL022459.
- Trease, H. E., 1988: Three-dimensional free-Lagrange hydrodynamics. *Computer Physics Communications*, **48**, 39-50.

$U - V - W - X$

- Ullrich, P. A., P. H. Lauritzen, and C. Jablonowski, 2009: Geometrically Exact Conservative Remapping (GECORE): Regular Latitude-Longitude and Cubed-Sphere Grids. *Mon. Wea. Rev.*, **137**, 1721-1741.
- Weller, H., H. G. Weller, and A. Fournier, 2009: Voronoi, Delaunay and Block Structured Mesh Refinement for Solution of the Shallow Water Equations on the Sphere. *Mon. Wea. Rev.*, In Press
- White, D., A. J. Kimerling, K. Sahr, and L. Song, 1998: Comparing area and shape distortion on polyhedral-based recursive partitions of the sphere. *Int. J. Geographical Inf. Sci.*, **12**, 805-827.
- Williamson, D. L., 1968: Integration of the Barotropic Vorticity Equation on a Spherical Geodesic Grid. *Tellus*, **20**, 642-653.

- Williamson, D. L., 1969: Numerical integration of fluid flow over triangular grids. *Mon. Wea. Rev.*, **97**, 885-895, 1969.
- Williamson, D. L., 1970: Integration of the Primitive Barotropic Model over a Spherical Geodesic Grid. *Mon. Wea. Rev.*, **98**, 512-520.
- Williamson, D. L., 1971: Numerical Methods Used in Atmospheric Models, *GARP Pub. Ser. No. 17* (JOC, WMO, Geneva, 1979), Chap. 2, 51-120.
- Williamson, D. L., and G. L. Browning, 1973: Comparison of Grids and Difference Approximations for Numerical Weather Prediction Over a Sphere. *J. Appl. Meteor.*, **12**, 264-274.
- Williamson, D. L., J. B. Drake, J. J. Hack, R. Jakob, and P. N. Swarztrauber, 1992: A Standard Test Set for Numerical Approximations to the Shallow Water Equations in Spherical Geometry. *J. Comp. Phys.*, **102**, 221-224.
- Williamson, D. L., and J. G. Olson, 1994: Climate simulations with a semi-Lagrangian version of the NCAR Community Climate Model. *Mon. Wea. Rev.*, **122**, 1594-1610.
- Williamson, D. L., and P. J. Rasch, 1994: Water vapor transport in the NCAR CCM2. *Tellus*, **46A**, 34-51.
- Winninghoff, F. J., 1968: On the adjustment toward a geostrophic balance in a simple primitive equation model with application to the problems of initialization and objective analysis. Ph.D. thesis, UCLA.
- Wurtele, 1961: On the problem of truncation error. *Tellus*, **13**, 379-391.

Y -Z

- Zalesak, S. T., 1979: Fully multidimensional flux-corrected transport algorithms for fluids. *J. Comp. Phys.*, **31**, 335-362.
- Zapotocny, T. H., D. R. Johnson, and F. M. Reames, 1994: Development and initial test of the University of Wisconsin global isentropic-sigma model. *Mon. Wea. Rev.*, **122**, 2160-2178.
- Zhu, Z., J. Thuburn, B. J. Hoskins, and P. H. Haynes, 1992: A vertical finite-difference scheme based on a hybrid s-q-p coordinate. *Mon. Wea. Rev.*, **120**, 851-862.